




SIP Industries

Quality Manufacturers Since 1960



Miscellaneous Accessory Products

www.sipindustries.com

Toll Free 877-921-6111

FLANGE PACK



Nom. Size	Bolts	Qty.	Wt.
3	5/8" X 2 1/2"	3	2 lb.
4	5/8" X 3"	4	3 lb.
6	3/4" X 3 1/2"	6	5 lb.
8	3/4" X 3 1/2"	8	6 lb.
10	7/8" X 4"	10	12 lb.
12	7/8" X 4"	12	13 lb.
14	1" X 4 1/2"	14	19 lb.
16	1" X 4 1/2"	16	25 lb.
18	1 1/8" X 5"	18	35 lb.
20	1 1/8" X 5"	20	45 lb.
24	1 1/4" X 5 1/2"	24	63 lb.
30	1 1/4" X 6 1/2"	30	95 lb.
36	1 1/2" X 7"	36	170 lb.
42	1 1/2" X 8"	42	215 lb.
48	1 1/2" X 8"	48	265 lb.
54	1 3/4" X 8 1/2"	54	390 lb.

- Materials -

Gasket :

- 1/8" Thick Synthetic / Red Rubber. (ASTM D2000 Type-A)
- Non-Asbestos - Fiber Material.

Nuts & Bolts :

- Hex Nuts & Bolts Plain Finish.
- Hex Nuts & Bolts 18-8 or 304 Stainless Steel.
- Hex Nuts & Bolts Zinc Plated.

COPPER TUBING



General Descriptions :

Item #	Product Description
GLC0125	1 1/4" X 60' Type K Soft Copper Tubing
GLC0150	1 1/2" X 60' Type K Soft Copper Tubing
GLC0100	1" X 60' Type K Soft Copper Tubing
GLC0200	2" X 60' Type K Soft Copper Tubing
GLC0075	3/4" X 60' Type K Soft Copper Tubing

PIPE JOINT LUBRICANTS



EASE-ON Pipe Joint Lube is a product for the easiest possible assembly of Push-On Pipe joints using a rubber, synthetic rubber, or plastic gasket.

NSF LISTED STANDARD 61/14

Available Packaging :

Size	Weight	Packing
Quarts	2 lb.	12/case
Gallons	8 lb.	4/case
Pail	40 lb.	36/pallet
Drums	55 gal.	1/pallet

TIE ROD ACCESSORIE & SOCKET CLAMPS

Bent Eye Bolts : Available 5/8", 3/4", and 1" diameter

Heavy Hex Nuts : Available in different Size & Finish.

Flat Washers : Available in different Size & Finish.

Rod Couplings : Available in different Size & Finish.

Duc Lugs : Available 3/4" & 1"

Socket Clamps : Available 3" to 24"

All Thread Rod : Plain Finish,
304 Stainless Steel Finish &
Zinc Plated Finish.



Cor-Ten Tee Bolts



Anti-Rotation Bolts



Pig Tail



All-thread Rod



Under-Ground Clamps



Lug Washer



Duc Lug

HYDRAULIC CEMENT

- Quick Set Hydraulic Cement -

General Specification :

- Hot Mix sets 45-90 seconds
- Regular Mix sets 3-5 minutes

Custom setting times available with Patch and pre colored custom mixes.

- Available : in 5 gallon pails.



HDPE MJ GLAND PACK



Size	Item #	Bolt Size
3	HDPEMJK03	4 1/2" X 3/4"
4	HDPEMJK04	4 1/2" X 3/4"
6	HDPEMJK06	5" X 3/4"
8	HDPEMJK08	7" X 3/4"
10	HDPEMJK10	7" X 3/4"
12	HDPEMJK12	7" X 3/4"
14	HDPEMJK14	7" X 3/4"
16	HDPEMJK16	7" X 3/4"
18	HDPEMJK18	7" X 3/4"
20	HDPEMJK20	7" X 3/4"
24	HDPEMJK24	7" X 3/4"

Packing Includes - MJ Gland, Gasket & Longer T-Bolts.

COMPANION FLANGE



- Cast Iron Companion Flanges for Steel Pipe -

Available -


CICF - 2" - 12" for Steel Pipe.

CIRF - 2" - 12" Reducing for Steel Pipe.



SIP Industries

Quality Manufacturers Since 1960



AWWA DI Fittings & Accessories

- C153 Compact MJ Fittings and Acc. 2" - 48"
- C110 Full Body MJ Fittings 2" - 48"
- C153 Push-On Fittings 4" - 24"
- C110 Flange Fittings 2" - 60"
- Stainless Steel & Blue T-Bolts
- Ductile Iron Retainer Glands
- Made in India, China & Mexico
- Cement, Fusion Bonded Epoxy & P401 lining

- Joint Restraint System
- EZD Joint Restraint for DI Pipe 3" - 48"
- EZP Joint Restraint for PVC Pipe 3" - 36"
- PTP Pipe to Pipe Restraint 4" - 36"
- PTPDF Pipe to MJ Fittings Restraint 4" - 36"
- PTPFC Pipe to PVC Fittings Restraint 4" - 12"
- Made in China & USA
- Fusion Bonded Epoxy or Shop Coating

Municipal Construction Castings

- Manhole Rings and Cover
- Frames and Grates
- Valve Boxes and Service Boxes
- Water Meter Covers and Boxes
- Trench Grates and Tree Grates
- Made in India & USA

Fabrication Products for DI Pipe

- High Hub Flanges Class 150 and 250. 3" - 64"
- Threaded Bell Flanges 3" - 48"
- Anchor Flanges 3" - 60"
- Filler Flanges 4" - 30"

Other Products and Services

- All Thread Rod
- Pipe Lube and Hydraulic Cement
- Socket Clamps and Lugs
- Flange Packs
- OEM Castings

SIP West

8333 Almeria Avenue
Fontana, CA 92335

SIP Central

2900 Patio Drive
Houston, TX 77017

SIP East

600 Rayloc Drive
Atlanta, GA 30336