




SIP Industries

Quality Manufacturers Since 1960



Miscellaneous Accessory Products



SIP INDUSTRIES
SERAMPORE

www.sipindustries.com

Toll Free 877-921-6111

FLANGE PACK



Nom. Size	Bolts	Qty.	Wt.
3	$\frac{5}{8}$ " X 2 $\frac{1}{2}$ "	3	2 lb.
4	$\frac{5}{8}$ " X 3"	4	3 lb.
6	$\frac{3}{4}$ " X 3 $\frac{1}{2}$ "	6	5 lb.
8	$\frac{3}{4}$ " X 3 $\frac{1}{2}$ "	8	6 lb.
10	$\frac{7}{8}$ " X 4"	10	12 lb.
12	$\frac{7}{8}$ " X 4"	12	13 lb.
14	1" X 4 $\frac{1}{2}$ "	14	19 lb.
16	1" X 4 $\frac{1}{2}$ "	16	25 lb.
18	1 $\frac{1}{8}$ " X 5"	18	35 lb.
20	1 $\frac{1}{8}$ " X 5"	20	45 lb.
24	1 $\frac{1}{4}$ " X 5 $\frac{1}{2}$ "	24	63 lb.
30	1 $\frac{1}{4}$ " X 6 $\frac{1}{2}$ "	30	95 lb.
36	1 $\frac{1}{2}$ " X 7"	36	170 lb.
42	1 $\frac{1}{2}$ " X 8"	42	215 lb.
48	1 $\frac{1}{2}$ " X 8"	48	265 lb.
54	1 $\frac{3}{4}$ " X 8 $\frac{1}{2}$ "	54	390 lb.

- Materials -

Gasket :

- $\frac{1}{8}$ " Thick Synthetic / Red Rubber. (ASTM D2000 Type-A)
- Non-Asbestos - Fiber Material.

Nuts & Bolts :

- Hex Nuts & Bolts Plain Finish.
- Hex Nuts & Bolts 18-8 or 304 Stainless Steel.
- Hex Nuts & Bolts Zinc Plated.

TRACER WIRE

Copper Clad Steel (CSS) Standard Strength Tracer Wire is a product for direct burial or use with plastic pipe to aid in the detection and tracing of underground utility lines for gas, water, sewer, and telecommunication systems.

 **Blue** to designate **Potable Water Pipes**

 **Green** to designate **Sewer Pipes**

 **Yellow** to designate **Gas Pipes**

Conductor Size	Conductor Diameter		Wire Diameter		Net Weight	Approx. Break Strength
AWG	Inches	mm	Inches	mm	lbs/kft	lbs
30 Mil Insulation 30V (Standard Strength)						
14	0.064	1.63	0.12	3.05	15	194
12	0.081	2.05	0.14	3.56	22	302
10	0.102	2.59	0.16	4.06	34	513
45 Mil Insulation 30V/600V (Standard Strength)						
14	0.064	1.63	0.15	3.81	18	194
12	0.081	2.05	0.17	4.32	25	302
10	0.102	2.59	0.19	4.83	37	513
45 Mil Insulation 30V/600V (High Strength)						
14	0.064	1.63	0.15	3.81	18	285
12	0.081	2.05	0.17	4.32	25	455
10	0.102	2.59	0.19	4.83	37	685

PIPE JOINT LUBRICANTS



EASE-ON Pipe Joint Lube is a product for the easiest possible assembly of Push-On Pipe joints using a rubber, synthetic rubber, or plastic gasket.

NSF LISTED STANDARD 61/14

Available Packaging :

Size	Weight	Packing
Quarts	2 lb.	12/case
Gallons	8 lb.	4/case
Pail	40 lb.	36/pallet
Drums	55 gal.	1/pallet

TIE ROD ACCESSORIE & SOCKET CLAMPS

Bent Eye Bolts : Available 5/8", 3/4", and 1" diameter

Heavy Hex Nuts : Available in different Size & Finish.

Flat Washers : Available in different Size & Finish.

Rod Couplings : Available in different Size & Finish.

Duc Lugs : Available 3/4"

Lug Washer : Available 3/4" & 1"

Socket Clamps : Available 3" to 24"

All Thread Rod : Plain Finish,
304 Stainless Steel Finish &
Zinc Plated Finish.



**Cor-Ten
Tee Bolts**



**Anti-Rotation
Bolts**



Pig Tail



All-thread Rod



Under-Ground Clamps



Lug Washer



Duc Lug

HYDRAULIC CEMENT

- Quick Set Hydraulic Cement -

General Specification :

- Hot Mix sets 45-90 seconds
- Regular Mix sets 3-5 minutes

*Custom setting times available with Patch
and pre colored custom mixes.*

- Available : in 5 gallon pails.



HDPE MJ GLAND PACK



Size	Item #	Bolt Size
3	HDPEMJK03	4 1/2" X 3/4"
4	HDPEMJK04	4 1/2" X 3/4"
6	HDPEMJK06	5" X 3/4"
8	HDPEMJK08	7" X 3/4"
10	HDPEMJK10	7" X 3/4"
12	HDPEMJK12	7" X 3/4"
14	HDPEMJK14	7" X 3/4"
16	HDPEMJK16	7" X 3/4"
18	HDPEMJK18	7" X 3/4"
20	HDPEMJK20	7" X 3/4"
24	HDPEMJK24	7" X 3/4"

Packing Includes - MJ Gland, Gasket & Longer T-Bolts.

COMPANION FLANGE



- Cast Iron Companion Flanges for Steel Pipe -

Available -


CICF - 2" - 12" for Steel Pipe.

CIRF - 2" - 12" Reducing for Steel Pipe.



SIP Industries

Quality Manufacturers Since 1960



PRODUCT LINE

AWWA DI Fittings & Accessories

- C153 Compact MJ Fittings and Acc. 2" - 64"
- C110 Full Body MJ Fittings 2" - 64"
- C153 Trim Tyton® Push-On Fittings 4" - 24"
- C110 Flange Fittings 2" - 64"
- MJ x MJ Adapter for Connecting MJ Bells 3" - 24"
- Stainless Steel & Blue T-Bolts
- Made in India, China & Mexico
- Bare, Cement, Zinc, FBE & Other Linings

Joint Restraint System

- EZD Joint Restraint for DI Pipe 3" - 48"
- EZDTP Joint Restraint Tandem for DI Pipe 3" - 48"
- EZDPTP Joint Restraint for Push-On Joints DI Pipe 3" - 48"
- Ductile Iron Retainer Glands 3" - 30"
- FAR / FAH Flange Adapter for DI Pipe 3" - 48"
- EZFA Restrained Flange Adapter for DI and PVC Pipe 3" - 36"
- EZPVC Joint Restraint for PVC Pipe 3" - 36"
- ULTRA Joint Restraint for PVC Pipe 4" - 12"
- EZPVCPTP Joint Restraint for Push-On Joints PVC Pipe 14" - 36"
- PTPVC Pipe to Pipe Restraint 4" - 48"
- PTPDF Pipe to MJ Fittings Restraint 4" - 48"
- PTPFC Pipe to PVC Fittings Restraint 4" - 12"
- Made in China & USA
- EZ Shield or Shop Coating

Municipal Construction Castings

- Manhole Rings and Cover
- Frames and Grates
- Valve Boxes and Service Boxes
- Water Meter Covers and Boxes
- Cleanout and Monument Boxes
- Detectable Warning Plates
- Extension Rings
- Trench Grates and Tree Grates
- Made in India & USA

Fabrication Products for DI Pipe

- High Hub Flanges Class 150 and 250. 3" - 64"
- Threaded Bell Flanges 3" - 48"
- Anchor Flanges 3" - 60"
- Filler Flanges 4" - 30"

Other Products and Services

- All Thread Rod
- Pipe Lube and Hydraulic Cement
- Socket Clamps and Lugs
- Flange Packs
- OEM Castings



SIP CORPORATE 8876 Gulf Freeway, Suite 500, Houston, TX 77017

SIP CENTRAL 2900 Patio Drive, Houston, TX 77017

SIP EAST 600 Rayloc Drive, Atlanta, GA 30336

SIP WEST 8333 Almeria Avenue, Fontana, CA 92335

Phone: 877-921-6111 or 713-923-6111 | Fax: 713-923-6114 | www.sipindustries.com | sales@sipindustries.com