



# SIP Industries

Quality Manufacturers Since 1960



## Miscellaneous Accessory Products



**SIP INDUSTRIES**  
SERAMPORE

[www.sipindustries.com](http://www.sipindustries.com)

Toll Free 877-921-6111

V 0524-01

## FLANGE PACK



Nom. Size	Bolts	Qty.	Wt.
3	5/8" X 2 1/2"	3	2 lb.
4	5/8" X 3"	4	3 lb.
6	3/4" X 3 1/2"	6	5 lb.
8	3/4" X 3 1/2"	8	6 lb.
10	7/8" X 4"	10	12 lb.
12	7/8" X 4"	12	13 lb.
14	1" X 4 1/2"	14	19 lb.
16	1" X 4 1/2"	16	25 lb.
18	1 1/8" X 5"	18	35 lb.
20	1 1/8" X 5"	20	45 lb.
24	1 1/4" X 5 1/2"	24	63 lb.
30	1 1/4" X 6 1/2"	30	95 lb.
36	1 1/2" X 7"	36	170 lb.
42	1 1/2" X 8"	42	215 lb.
48	1 1/2" X 8"	48	265 lb.
54	1 3/4" X 8 1/2"	54	390 lb.

### - Materials -

#### Gasket :

- 1/8" Thick Synthetic / Red Rubber. (ASTM D2000 Type-A)
- Non-Asbestos - Fiber Material.

#### Nuts & Bolts :

- Hex Nuts & Bolts Plain Finish.
- Hex Nuts & Bolts 18-8 or 304 Stainless Steel.
- Hex Nuts & Bolts Zinc Plated.

## TRACER WIRE

**Copper Clad Steel (CSS) Standard Strength Tracer Wire** is a product for direct burial or use with plastic pipe to aid in the detection and tracing of underground utility lines for gas, water, sewer, and telecommunication systems.

- Blue** to designate **Potable Water Pipes**
- Green** to designate **Sewer Pipes**
- Yellow** to designate **Gas Pipes**

Conductor Size	Conductor Diameter		Wire Diameter		Net Weight lbs/kft	Approx. Break Strength lbs
	Inches	mm	Inches	mm		
<b>30 Mil Insulation 30V (Standard Strength)</b>						
14	0.064	1.63	0.12	3.05	15	194
12	0.081	2.05	0.14	3.56	22	302
10	0.102	2.59	0.16	4.06	34	513
<b>45 Mil Insulation 30V/600V (Standard Strength)</b>						
14	0.064	1.63	0.15	3.81	18	194
12	0.081	2.05	0.17	4.32	25	302
10	0.102	2.59	0.19	4.83	37	513
<b>45 Mil Insulation 30V/600V (High Strength)</b>						
14	0.064	1.63	0.15	3.81	18	285
12	0.081	2.05	0.17	4.32	25	455
10	0.102	2.59	0.19	4.83	37	685

## PIPE JOINT LUBRICANTS



**EASE-ON Pipe Joint Lube** is a product for the easiest possible assembly of Push-On Pipe joints using a rubber, synthetic rubber, or plastic gasket.

NSF LISTED STANDARD 61/14

#### Available Packaging :

Size	Weight	Packing
Quarts	2 lb.	12/case
Gallons	8 lb.	4/case
Pail	40 lb.	36/pallet
Drums	55 gal.	1/pallet

TIE ROD ACCESSORIE & SOCKET CLAMPS

**Bent Eye Bolts** : Available 5/8", 3/4", and 1" diameter

**Heavy Hex Nuts** : Available in different Size & Finish.

**Flat Washers** : Available in different Size & Finish.

**Rod Couplings** : Available in different Size & Finish.

**Duc Lugs** : Available 3/4"

**Lug Washer** : Available 3/4" & 1"

**Socket Clamps** : Available 3" to 24"

**All Thread Rod** : Plain Finish,  
304 Stainless Steel Finish &  
Zinc Plated Finish.



Cor-Ten Tee Bolts



Anti-Rotation Bolts



Pig Tail



All-thread Rod



Under-Ground Clamps



Lug Washer



Duc Lug

HYDRAULIC CEMENT

- Quick Set Hydraulic Cement -

General Specification :

- Hot Mix sets 45-90 seconds
- Regular Mix sets 3-5 minutes

Custom setting times available with Patch and pre colored custom mixes.

- Available : in 5 gallon pails.



HDPE MJ GLAND PACK



Size	Item #	Bolt Size
3	HDPEMJK03	4 1/2" X 3/4"
4	HDPEMJK04	4 1/2" X 3/4"
6	HDPEMJK06	5" X 3/4"
8	HDPEMJK08	7" X 3/4"
10	HDPEMJK10	7" X 3/4"
12	HDPEMJK12	7" X 3/4"
14	HDPEMJK14	7" X 3/4"
16	HDPEMJK16	7" X 3/4"
18	HDPEMJK18	7" X 3/4"
20	HDPEMJK20	7" X 3/4"
24	HDPEMJK24	7" X 3/4"

Packing Includes - MJ Gland, Gasket & Longer T-Bolts.

COMPANION FLANGE



- Cast Iron Companion Flanges for Steel Pipe -

Available -


CICF - 2" - 12" for Steel Pipe.

CIRF - 2" - 12" Reducing for Steel Pipe.



# SIP Industries

Quality Manufacturers Since 1960



## PRODUCT LINE

### AWWA DI Fittings & Accessories

- C153 Compact MJ Fittings and Acc. 2" - 64"
- C110 Full Body MJ Fittings 2" - 64"
- C153 Trim Tyton® Push-On Fittings 4" - 24"
- C110 Flange Fittings 2" - 64"
- MJ x MJ Adapter for Connecting MJ Bells 3" - 24"
- Stainless Steel & Blue T-Bolts
- Made in India, China & Mexico
- Bare, Cement, Zinc, FBE & Other Linings

### Joint Restraint System

- EZD Joint Restraint for DI Pipe 3" - 48"
- EZDTP Joint Restraint Tandem for DI Pipe 3" - 48"
- EZDPTP Joint Restraint for Push-On Joints DI Pipe 3" - 48"
- Ductile Iron Retainer Glands 3" - 30"
- FAR / FAH Flange Adapter for DI Pipe 3" - 48"
- EZFA Restrained Flange Adapter for DI and PVC Pipe 3" - 36"
- EZPVC Joint Restraint for PVC Pipe 3" - 36"
- ULTRA Joint Restraint for PVC Pipe 4" - 12"
- EZPVCPTP Joint Restraint for Push-On Joints PVC Pipe 14" - 36"
- PTPVC Pipe to Pipe Restraint 4" - 48"
- PTPDF Pipe to MJ Fittings Restraint 4" - 48"
- PTPFC Pipe to PVC Fittings Restraint 4" - 12"
- Made in China & USA
- EZ Shield or Shop Coating

### Municipal Construction Castings

- Manhole Rings and Cover
- Frames and Grates
- Valve Boxes and Service Boxes
- Water Meter Covers and Boxes
- Cleanout and Monument Boxes
- Detectable Warning Plates
- Extension Rings
- Trench Grates and Tree Grates
- Made in India & USA

### Fabrication Products for DI Pipe

- High Hub Flanges Class 150 and 250. 3" - 64"
- Threaded Bell Flanges 3" - 48"
- Anchor Flanges 3" - 60"
- Filler Flanges 4" - 30"

### Other Products and Services

- All Thread Rod
- Pipe Lube and Hydraulic Cement
- Socket Clamps and Lugs
- Flange Packs
- OEM Castings



**SIP CORPORATE** 8876 Gulf Freeway, Suite 500, Houston, TX 77017

**SIP CENTRAL** 2900 Patio Drive, Houston, TX 77017

**SIP EAST** 600 Rayloc Drive, Atlanta, GA 30336

**SIP WEST** 8333 Almeria Avenue, Fontana, CA 92335

Phone: 877-921-6111 or 713-923-6111 | Fax: 713-923-6114 | [www.sipindustries.com](http://www.sipindustries.com) | [sales@sipindustries.com](mailto:sales@sipindustries.com)