




SIP Industries

Quality Manufacturers Since 1960



Municipal & Construction Castings

www.sipindustries.com

Toll Free 877-921-6111

V 0524-01



★ ★ ★
SIP INDUSTRIES
SERAMPORE
SINCE 1960


MANHOLE RINGS, COVERS & GRATES



Custom Logo Covers

- Size Range : 8" - 60"
- Material : Cast Iron CL30 / CL35 and Ductile Iron.
- Load Rating : Extra Heavy Duty, Heavy Duty, Medium Duty, Light Duty.
- Marking : Custom Logo and Special Lettering.
- Security : Water Tight, Bolted and Special Lock.
- Ring Options : Hinged, Stackable, Reversible Ring.
- Lifting Options : Pickbar, Pickhole, Vented.

EXTENSION RINGS



- Size Range : 20" - 36"
- Material : Cast Iron CL30 / CL35, Ductile Iron and Fabricated Steel.
- Extension Range: 1" - 6"


FRAMES AND GRATES



- Size Range : 12" - 48"
- Material : Cast Iron CL30 / CL35, Ductile Iron and Fabricated Steel.
- Load Rating : Extra Heavy Duty, Heavy Duty, Medium Duty, Light Duty.
- Marking : Custom Logo and Special Lettering.
- Security : Bolted & Special Lock Available.
- Orientation : Square, Rectangular & Round.
- Frame Options : L-Type, Reversible, Curb Inlets.
- Grate Options : Different Slots for Optimal Flow.
- ADA Compliant Available.

TRENCH GRATES

- Size Range : 8" - 24"
- Material : Cast Iron CL30 / CL35, Ductile Iron and Fabricated Steel.
- Load Rating : Extra Heavy Duty, Heavy Duty, Medium Duty, Light Duty.
- Security : Bolted Available.
- Grate Options : Different Slots for optimal flow or special designs for beautification projects.
- ADA Compliant Available.



VALVE, SERVICE & ROADWAY BOXES

- Material : Cast Iron CL30 / CL35 and Ductile Iron.
- Type : Screw, Slip, Service Box, Roadway Box and Municipality specific.
- Lids : Standard & Locking.
- Markings : Logo & Custom Available.
- Coating : Asphaltic Bituminous Coating.



METER BOXES


- Material : Cast Iron CL30 / CL35, Ductile Iron and Fabricated Steel.
- Type : Standard Boxes, Sewer Cleanouts, and Municipality Specific.
- Lids : Standard, Locking, AMR Hole.
- Markings : Logo & Custom Available.





SIP Industries

Quality Manufacturers Since 1960



PRODUCT LINE

AWWA DI Fittings & Accessories

- C153 Compact MJ Fittings and Acc. 2" - 64"
- C110 Full Body MJ Fittings 2" - 64"
- C153 Trim Tyton® Push-On Fittings 4" - 24"
- C110 Flange Fittings 2" - 64"
- MJ x MJ Adapter for Connecting MJ Bells 3" - 24"
- Stainless Steel & Blue T-Bolts
- Made in India, China & Mexico
- Bare, Cement, Zinc, FBE & Other Linings

Joint Restraint System

- EZD Joint Restraint for DI Pipe 3" - 48"
- EZDTP Joint Restraint Tandem for DI Pipe 3" - 48"
- EZDPTP Joint Restraint for Push-On Joints DI Pipe 3" - 48"
- Ductile Iron Retainer Glands 3" - 30"
- FAR / FAH Flange Adapter for DI Pipe 3" - 48"
- EZFA Restrained Flange Adapter for DI and PVC Pipe 3" - 36"
- EZPVC Joint Restraint for PVC Pipe 3" - 36"
- ULTRA Joint Restraint for PVC Pipe 4" - 12"
- EZPVCPTP Joint Restraint for Push-On Joints PVC Pipe 14" - 36"
- PTPVC Pipe to Pipe Restraint 4" - 48"
- PTPDF Pipe to MJ Fittings Restraint 4" - 48"
- PTPFC Pipe to PVC Fittings Restraint 4" - 12"
- Made in China & USA
- EZ Shield or Shop Coating

Municipal Construction Castings

- Manhole Rings and Cover
- Frames and Grates
- Valve Boxes and Service Boxes
- Water Meter Covers and Boxes
- Cleanout and Monument Boxes
- Detectable Warning Plates
- Extension Rings
- Trench Grates and Tree Grates
- Made in India & USA

Fabrication Products for DI Pipe

- High Hub Flanges Class 150 and 250. 3" - 64"
- Threaded Bell Flanges 3" - 48"
- Anchor Flanges 3" - 60"
- Filler Flanges 4" - 30"

Other Products and Services

- All Thread Rod
- Pipe Lube and Hydraulic Cement
- Socket Clamps and Lugs
- Flange Packs
- OEM Castings



SIP CORPORATE 8876 Gulf Freeway, Suite 500, Houston, TX 77017

SIP CENTRAL 2900 Patio Drive, Houston, TX 77017

SIP EAST 600 Rayloc Drive, Atlanta, GA 30336

SIP WEST 8333 Almeria Avenue, Fontana, CA 92335

Phone: 877-921-6111 or 713-923-6111 | Fax: 713-923-6114 | www.sipindustries.com | sales@sipindustries.com